


specification & description language - real time



**Object**

Graphical language to specify and design real time and embedded software

**Date**

March 25th, 2003

**Version**

2.0

**Reference**

<http://www.sdl-rt.org>






---

<b>Introduction</b> - - - - -	<b>7</b>
<b>Architecture</b> - - - - -	<b>9</b>
System .....	9
Agents.....	9
<b>Communication</b> - - - - -	<b>11</b>
<b>Behavior</b> - - - - -	<b>14</b>
Start .....	14
State.....	14
Stop.....	15
Message input.....	16
Message output.....	17
To a queue Id	17
To a process name	18
To the environment	19
Via a channel or a gate	19
Message save.....	22
Continuous signal.....	22
Action.....	23
Decision.....	23
Semaphore take .....	24
Semaphore give.....	25
Timer start .....	25
Timer stop .....	25
Task creation .....	26
Procedure call.....	26
Connectors.....	27
Transition option .....	27
Comment .....	28
Extension.....	29
Procedure start.....	30
Procedure return .....	30
Text symbol.....	30
Additional heading symbol .....	31
Object creation symbol.....	31
Symbols ordering .....	33
<b>Declarations</b> - - - - -	<b>34</b>
Process.....	34
Procedure declaration.....	35
SDL-RT defined procedure	35
C defined procedure	36
Messages .....	36
Timers.....	37
Semaphores .....	37
<b>MSC</b> - - - - -	<b>38</b>

---

Agent instance.....	38
Semaphore representation .....	39
Semaphore manipulations .....	39
Message exchange.....	41
Synchronous calls .....	43
State.....	44
Timers .....	46
Time interval .....	48
Coregion.....	50
MSC reference .....	51
Text symbol.....	53
Comment.....	53
Action.....	53
High-level MSC (HMSC) .....	54
<b>Data types - - - - -</b>	<b>56</b>
Type definitions and headers .....	56
Variables .....	56
C functions .....	56
External functions .....	56
<b>Object orientation - - - - -</b>	<b>57</b>
Block class .....	57
Process class.....	58
Class diagram.....	65
Class	65
Specialisation	68
Association	68
Aggregation	69
Composition	70
Package .....	70
Usage in an agent	71
Usage in a class diagram	71
<b>Deployment diagram - - - - -</b>	<b>72</b>
Node.....	72
Component.....	72
Connection .....	73
Dependency.....	74
Aggregation.....	75
Node and components identifiers.....	75
<b>Symbols contained in diagrams - - - - -</b>	<b>76</b>
<b>Textual representation - - - - -</b>	<b>77</b>
<b>Example systems - - - - -</b>	<b>81</b>
Ping Pong .....	81
A global variable manipulation.....	85




---

Access Control System.....	89
Requirements	89
Analysis	92
Architecture	93
pCentral process	94
getCardNCode procedure	95
pLocal process	96
Display procedure	99
DisplayStar procedure	100
Deployment	101
<b>Differences with classical SDL</b> - - - - -	<b>102</b>
Data types.....	102
Semaphores .....	102
Inputs.....	102
Names.....	102
Object orientation.....	102
<b>Memory management</b> - - - - -	<b>104</b>
Global variables.....	104
Message parameters .....	104
<b>Keywords</b> - - - - -	<b>105</b>
<b>Syntax</b> - - - - -	<b>106</b>
<b>Naming convention</b> - - - - -	<b>107</b>
<b>Lexical rules</b> - - - - -	<b>108</b>
<b>Glossary</b> - - - - -	<b>109</b>
<b>Modifications from previous releases</b> - - - - -	<b>110</b>
Semaphore manipulation.....	110
V1.0 to V1.1	110
Object orientation.....	110
V1.1 to V1.2	110
V1.2 to V2.0	110
Messages .....	110
V1.1 to V1.2	110
MSC .....	110
V1.1 to V1.2	110
Task .....	110
V1.2 to V2.0	110
Organisation .....	111
V1.2 to V2.0	111
<b>Index</b> - - - - -	<b>113</b>



---

# 1 - Introduction

As its name states, SDL-RT is based on SDL standard from ITU extended with real time concepts. V2.0 introduces support of UML from OMG in order to extend SDL-RT usage to static part of the embedded software and distributed systems.

SDL has been developed in the first place to specify telecommunication protocols but experience showed some of its basic principles could be used in a wide variety of real time and embedded systems. Its main benefits are:

- architecture definition,
- graphical finite state machine,
- object orientation.

But SDL was not meant to design real time systems and some major drawbacks prevented it to be widely used in the industry:

- obsolete data types,
- old fashioned syntax,
- no pointer concept,
- no semaphore concept.

SDL being a graphical language it is obviously not suited for any type of coding. Some parts of the application still need to be written in C or assembly language. Furthermore legacy code or off the shelf libraries such as RTOS, protocol stacks, drivers have C APIs. Last but not least there is no SDL compilers so SDL need to be translated into C code to get down to target. So all SDL benefits are lost when it comes to real coding and integration with real hardware and software.

Considering the above considerations a real time extension to SDL needed to be defined that would keep the benefits of SDL and solve its weaknesses. The simpler the better ! SDL-RT was born based on 2 basic principles:

- Replace SDL data types by C,
- Add semaphore support in the behavior diagrams.

UML diagrams have been added to SDL-RT V2.0 to extend SDL-RT application field:

- When it comes to object orientation, UML class diagram brings a perfect graphical representation of the classes organisation and relations. Dynamic classes represent SDL agents and static classes represent C++ classes.
- To handle distributed systems, UML deployment diagram offers a graphical representation of the physical architecture and how the different nodes communicate with each other.

The result, SDL-RT, is a:

- simpler,
- object oriented,
- graphical language,
- combining dynamic and static representations,

- supporting classical real time concepts,
- extended to distributed systems,
- based on standard languages.



## 2 - Architecture

### 2.1 - System

The overall design is called the **system** and everything that is outside the **system** is called the **environment**. There is no specific graphical representation for the **system** but the **block** representation can be used if needed.

### 2.2 - Agents

An **agent** is an element in the system structure. There are two kinds of agents: **blocks** and **processes**. A system is the outermost block.

A **block** is a structuring element that does not imply any physical implementation on the target. A block can be further decomposed in blocks and so on allowing to handle large systems. A block symbol is a solid rectangle with its name in it:



*A simple block example.*

When the SDL-RT system is decomposed down to the simplest block, the way the block fulfils its functionality is described with processes. A lowest level block can be composed of one or several processes. To avoid having blocks with only one process it is allowed to mix together blocks and processes at the same level e.g. in the same block.

A process symbol is a rectangle with cut corners with its name in it:



*A simple process example.*

A **process** is basically the code that will be executed. It is a finite state machine based task (Cf. “Behavior” on page 14) and has an implicit message queue to receive messages. It is possible to have several instances of the same process running independently. The number of instances present when the system starts and the maximum number of instances are declared between parenthesis after the name of the process. The full syntax in the process symbol is:


```
<process name>[( <number of instances at startup>, <maximum number of instances>)]
```

If omitted default values are 1 for the number of instances at startup and infinite for the maximum number of instances.

MyProcess(0,10)

*An example process that has no instance at startup and a maximum of 10 instances.*

The overall architecture can be seen as a tree where the leaves are the processes.



#### A view of the architecture tree


When viewing a block, depending on the size of the system, it is more comfortable to only represent the current block level without the lower agents.

## 3 - Communication


SDL-RT is event driven, meaning communication is based on message exchanges. A **message** has a name and a parameter that is basically a pointer to some data. Messages go through **channels** that connect agents and end up in the processes implicit queues.

Channels have names and are represented by a one-way or two-ways arrows. A channel name is written next to the arrow without any specific delimiter. The list of messages going in a specific way are listed next to the arrow between brackets and separated by commas. Messages can be gathered in message lists, to indicate a message list in the list of messages going through a channel the message list is surrounded by parenthesis. Note the same message can be listed in both directions.

aOneWayChannel example:




aTwoWayChannel example:



Channels end points can be connected to: the environment, another channel or a process. Graphically a channel can be connected to a block but it is actually connected to another channel inside the block. To represent the outside channels connected to the block at the upper architecture level, a block view is surrounded by a frame representing the edge of the block. The upper level channels connected to the block are then represented outside the frame and channels inside the block can be connected to these upper level channels. Note a channel can be connected to several channels. In any case consistency is kept between levels e.g. all messages in a channel are listed in the upper or lower level channels connected to it.


Example:

Let us consider an SDL-RT system made of two blocks: *blockA* and *blockB*.



An example system view

The channels *chEnvA* and *chEnvB* are connected to the surrounding frame of the system *mySystem*. They define communication with the environment, e.g. the interface of the system. *chEnvA* and *chAB* are connected to *blockA* and define the messages coming in or going out of the block.



An inner block view

The inner view of block *blockA* shows it is made of the blocks *blockC* and *blockD* and of the process *processE*. *chEnvAC* is connected to the upper level channel *chEnvA* and *chABD* is connected

---

to the upper channel *chAB*. The flow of messages is consistent between levels since for example the messages coming in block *blockA* through *chEnvA* (*message1*, *message2*, *message3*) are also listed in *chEnvAC*.

## 4 - Behavior


First of all a process has an implicit message queue to receive the messages listed in the channels. A process description is based on an extended finite state machine. A process state determines which behavior the process will have when receiving a specific stimulation. A transition is the code between two states. The process can be hanging on its message queue or a semaphore or running e.g. executing code.

SDL-RT processes run concurrently; depending on the underlying RTOS and sometimes on the target hardware the behavior might be slightly different. But messages and semaphores are there to handle process synchronization so the final behavior should be independent of the RTOS and of the hardware. Since SDL-RT is open to any C code it is up to the designer to make sure this statement stays true !

Note that in a state diagram the previous statement is always connected to the symbol upper frame and the next statement is connected to the lower frame or on the side.

### 4.1 - Start

The start symbol represent the starting point for the execution of the process:




*Start symbol*

The transition between the Start symbol and the first state of the process is called the start transition. This transition is the first thing the process will do when started. During this initialization phase the process can not receive messages. All other symbols are allowed.

### 4.2 - State

The name of the process state is written in the state symbol:



*State symbol*

The state symbol means the process is waiting for some input to go on, the allowed symbols to follow a state symbol are:


- message input  
the message could be coming from an external channel, or it could be a timer message started by the process itself.
- continuous signal

when reaching a state with continuous signals, the expressions in the continuous signals are evaluated following the defined priorities. All continuous signal expressions are evaluated before the message input !

- save  
the incoming message can not be treated in the current process state. It is saved until the process state changes. When the process state has changed the saved messages are treated first (before any other messages in the queue but after continuous signals).


Some transitions can be valid for several states, the different state names are then listed separated by a comma. A star ('\*') means all states.

Examples:



A process in a specific state can receive several types of messages or treat several continuous signals. To represent such a situation it is possible to have several message inputs connected to the state or to split the state in several symbols with the same name.

Examples:



Two ways of writing in state `idle`,  
`sig1` or `sig2` can be received.

### 4.3 - Stop

A process can terminate itself with the stop symbol.




Stop symbol

Note a process can not kill another process, it can only kill itself.  
There is no syntax for that symbol.

## 4.4 - Message input

The message input symbol represent the type of message that is expected in an SDL-RT state. It always follows an SDL-RT state symbol and if received the symbols following the input are executed.



Message input symbol

An input has a name and can come with parameters. To receive the parameters it is necessary to declare at least one variable that will be assigned to point on the parameters. If the parameter length is unknown, because the parameters are unstructured data, it is also possible to get the parameter length assigned to a pre-declared variable.

The syntax in the message input symbol is the following:

<Message name> [([<data length>,) <pointer on data>)]

<data length> is a variable that needs to be declared.

<pointer on data> is a variable that needs to be declared as an int.



Examples:

```

MESSAGE
  ConReq(unsigned char *),
  ConConf,
  DisReq(myStruct *);
  
```

```

long      myDataLength;
unsigned char *myData;
myStruct  *pData;
  
```





## 4.5 - Message output

A message output is used to exchange information. It puts data in the receiver's message queue in an asynchronous way.




*Message output symbol*

When a message has parameters, a pointer to the parameters is given. If the parameter is structured, its length does not need to be specified since it is basically a `sizeof` of the parameter type. Otherwise its length is given as a first parameter of the output symbol.

The syntax in the message output symbol can be written in several ways depending if the queue Id or the name of the receiver is known or not. A message can be sent to a queue Id or to a process name or via a channel or a gate. When communicating with the environment, a special syntax is provided.

### 4.5.1 To a queue Id



*Message output to a queue id*

The symbol syntax is:

```
<message name>[([<data length>,] <pointer on data>)] TO_ID <receiver queue id>
```

It can take the value given by the SDL-RT keywords:

PARENT	The queue id of the parent process.
SELF	The queue id of the current process.
OFFSPRING	The queue id of the last created process if any or NULL if none.
SENDER	The queue id of the sender of the last received message.

Examples:

```
MESSAGE
{
  ConReq(unsigned char *),
  ConConf,
  DisReq(myStruct *);
}
```

```
long          myDataLength;
unsigned char *myData;
myStruct      *pData;
```

```
ConReq
(256, myData)
TO_ID PARENT
```

ConReq are unstructured parameters so the length needs to be specified.

```
ConConf TO_ID
aCalculatedReceiver
```

There is no parameter associated with the message ConConf.

```
DisReq
(pData) TO_ID
PARENT
```

Parameter length does not need to be specified: it is implicitly sizeof(myStruct).

### 4.5.2 To a process name

```
<Message name>
[[[<data length>], <pointer on data>]]
TO_NAME
<receiver name>
```

Message output to a process name

The syntax is:

<message name>[[[<data length>], <pointer on data>]] TO\_NAME <receiver name>  
 <receiver name> is the name of a process if unique or it can be ENV when simulating and the message is sent out of the SDL system.

Examples:

```
ConReq
(0xFF, myData)
TO_NAME ENV
```

```
ConReq
(myDataLength, myData)
TO_NAME
receiverProcess
```

Note:

If several instances have the same process name (several instances of the same process for example), the 'TO\_NAME' will send the message to the first created process with the corresponding name. Therefore this method should not be used when the process name is not unique within the system.

### 4.5.3 To the environment

```

<Message name>
[[[<data length>],]
<pointer on data>]]
TO_ENV
<C macro name>

```

#### *Message output to environment*

The symbol syntax is:

```
<message name>[[[<data length>],] <pointer on data>]] TO_ENV <C macro name>
```

<C macro name> is the name of the macro that will be called when this SDL output symbol is hit. If no macro is declared the message will be sent to the environment.

#### Example:

```

ConReq
(0xFF, myData)
TO_ENV

```

```

ConReq
(myDataLength, myData)
TO_ENV
MESSAGE_TO_HDLC

```

In this second example the generated code will be:

```
MESSAGE_TO_HDLC(ConReq, myDataLength, myData)
```

#### Note:

When sending data pointed by <pointer on data>, the corresponding memory should be allocated by the sender and should be freed by the receiving process. This is because this memory area is not copied to the receiver; only the pointer value is transmitted. So after being sent the sender should not use it any more.

### 4.5.4 Via a channel or a gate

A message can be sent via a channel in the case of a process or via a gate in the case of a process class.

```

<Message name>
[[[<data length>],]
<pointer on data>]]
VIA
<channel or gate name>

```


#### *Message output via a channel or a gate*

The symbol syntax is:


```
<message name>[[[<data length>],] <pointer on data>]] VIA <channel or gate name>
```

<channel or gate name> is the name of the channel or gate the message will go through. This concept is especially useful when using object orientation since classes are not supposed to know their environment; so messages are sent via the gates that will be connected to the surrounding environment when instantiated.

Examples:




With the architecture defined above, both outputs are equivalent.



`aProcess` sends `msg2` to `myProcess` without knowing its name nor its PID

## 4.6 - Message save

A process may have intermediate states that can not deal with new request until the on-going job is done. These new requests should not be lost but kept until the process reaches a stable state. Save concept has been made for that matter, it basically holds the message until it can be treated.



*Save symbol*


The Save symbol is followed by no symbol. When the process changes to a new state the saved messages will be the first to be treated (after continuous signals if any).

The symbol syntax is:

<message name>

Even if the message has parameters.

### Example:




Let's consider the above process in state *inter* to receive the following messages:

*msg3*, *msg2*, *msg1*. *msg3* will be saved, *msg2* will make the process go to state *stable*.

Since *msg3* has been saved it will first be treated and finally *msg1*.

## 4.7 - Continuous signal

A continuous signal is an expression that is evaluated right after a process reaches a new state. It is evaluated before any message input or saved messages.




*Continuous signal symbol*

The continuous signal expression to evaluate can contain any standard C expression that returns a C true/false expression. Since an SDL state can contain several continuous signal a priority level

needs to be defined with the `PRIOR` keyword. Lower values correspond to higher priorities. A continuous signal symbol can be followed by any other symbol except another continuous signal or a message input. The syntax is:

```
<C condition expression>
PRIOR <priority level>
```

Example:



In the above example, when the process gets in state idle it will first evaluate expression  $(b < 10) \parallel (c \neq 0)$ . If the expression is not true or if the process stayed in the same state it will

evaluate expression  $a > 5$ . If the expression is not true or if the process stayed in the same state it will execute msg1 transition.

### 4.8 - Action


An action symbol contains a set of instructions in C code. The syntax is the one of C language.

Example:

```
/* Say hi to your friend */
printf("Hello world !\n");
for (i=0; i<MAX; i++)
{
    newString[i] = oldString[i];
}
```

### 4.9 - Decision

A decision symbol can be seen as a C switch / case.



Decision symbols

Since it is graphical and therefore uses quite some space on the diagram it is recommended to use it when its result modifies the resulting process state. The decision symbol is a diamond with branches. Since a diamond is one of the worst shape to put text in it, it can be a "diamonded" rectangle. Each branch can be seen as a case of the switch.

The expression to evaluate in the symbol can contain:


- any standard C expression that returns a C true/false expression,
- an expression that will be evaluated against the values in the decision branches.

The values of the branches have keyword expressions such as:

- `>`, `<`, `>=`, `<=`, `!=`, `==`
- `true`, `false`, `else`


The `else` branch contains the default branch if no other branch made it.

Examples:



## 4.10 - Semaphore take

The Semaphore take symbol is used when the process attempts to take a semaphore.



*Semaphore take symbol*

To take a semaphore, the syntax in the 'semaphore take SDL-RT graphical symbol' is:

`[<status> = ] <semaphore name>(<timeout option>)`


where `<timeout option>` is:

- `FOREVER`  
Hangs on the semaphore forever if not available.
- `NO_WAIT`  
Does not hang on the semaphore at all if not available.



- `<number of ticks to wait for>`  
Hangs on the semaphore the specified number of ticks if not available.
- and `<status>` is:
- OK  
If the semaphore has been successfully taken
  - ERROR  
If the semaphore was not found or if the take attempt timed out.


## 4.11 - Semaphore give



*Semaphore give symbol*

To give a semaphore, the syntax in the ‘semaphore give SDL-RT graphical symbol’ is:  
`<semaphore name>`


## 4.12 - Timer start



*Timer start symbol*

To start a timer the syntax in the ‘start timer SDL-RT graphical symbol’ is :  
`<timer name>(<time value in tick counts>)`  
`<time value in tick counts>` is usually an ‘int’ but is RTOS and target dependant.

## 4.13 - Timer stop



*Timer stop symbol*

To cancel a timer the syntax in the ‘cancel timer SDL-RT graphical symbol’ is :  
`<timer name>`

## 4.14 - Task creation

```

    <process name>
    [:<process class>]
    [PRIO <priority>]
    
```

### *Task creation symbol*

To create a process the syntax in the create process symbol is:

```
<process name>[:<process class>] [PRIO <priority>]
```

to create one instance of <process class> named <process name> with priority <priority>.

### Examples:

```

    myProcess
    
```

```

    anotherProcess:
    aClassOfProcess
    
```

```

    myProcess
    PRIO 80
    
```

## 4.15 - Procedure call

```

    [<return variable> =]
    <procedure name>
    ({<parameters>}*);
    
```

### *Procedure call symbol*

The procedure call symbol is used to call an SDL-RT procedure (Cf. “Procedure declaration” on page 35). Since it is possible to call any C function in an SDL-RT action symbol it is important to note SDL-RT procedures are different because they know the calling process context, e.g. SDL-RT keywords such as SENDER, OFFSPRING, PARENT are the ones of the calling process.

The syntax in the procedure call SDL graphical symbol is the standard C syntax:

```
[<return variable> =] <procedure name>({<parameters>}*);
```

### Examples:


```

    myResult =
    myProcedure
    (myParameter);
    
```

```

    anotherProcedure();
    
```

## 4.16 - Connectors



Connectors are used to:


- split a transition into several pieces so that the diagram stays legible and printable,
- to gather different branches to a same point.

A connector-out symbol has a name that relates to a connector-in. The flow of execution goes from the connector out to the connector in symbol.

A connector contains a name that has to be unique in the process. The syntax is:


<connector name>

Examples:



## 4.17 - Transition option

Transition options are similar to C `#ifdef`.




*Transition option symbol*

The branches of the symbol have values `true` or `false`. The `true` branch is defined when the expression is defined so the equivalent C code is:

```
#ifdef <expression>
```


The branches can stay separated to the end of the transition or they can meet again and close the option as would do an #endif.

Examples:




## 4.18 - Comment

The comment symbol allows to write any type of informal text and connect it to the desired symbol. If needed the comment symbol can be left unconnected.




Comment symbol

Example:




## 4.19 - Extension

The extension symbol is used to complete an expression in a symbol. The expression in the extension symbol is considered part of the expression in the connected symbol. Therefore the syntax is the one of the connected symbol.




Extension symbol

Example:




is equivalent to:



## 4.20 - Procedure start

This symbol is specific to a procedure diagram. It indicates the procedure entry point.




*Procedure start symbol*

There is no syntax associated with this symbol.

## 4.21 - Procedure return

This symbol is specific to a procedure diagram. It indicates the end of the procedure.



*Procedure return symbol*

This symbol is specific to a procedure diagram. It indicates the end of the procedure. If the procedure has a return value it should be placed by the symbol.

## 4.22 - Text symbol

This symbol is used to declare C types variables.

```
<any C language instructions >
```

### Text symbol

The syntax is C language syntax.

## 4.23 - Additional heading symbol

This symbol is used to declare SDL-RT specific headings.

```
<SDL-RT contextual declaration >
```

### Additional heading symbol

It has a specific syntax depending in which diagram it is used.



- **Block heading**  
Allows to declare messages and messages lists:  
MESSAGE <message name> [( <param type> )] { , <msg name> [( <param type> )] };  
MESSAGE\_LIST <message list name> = <message name> { , <message name> } \*;
- **Process class heading**  
Allows to specify the superclass to inherit from:  
INHERITS <superclass name>;
- **System, Block, Block class heading**  
Allows to specify the package to use:  
USE <package name>;
- **Process or Process class heading**  
Allows to define the stack size:  
STACK <stack size value>;

## 4.24 - Object creation symbol

```
<object name>:<class name>({<parameter>}*)
```

This is equivalent to creating an instance of class <class name> named <object name>. This symbol can be used by tools to check consistency between the dynamic SDL view and the static UML view.

Examples:





## 4.25 - Symbols ordering

The following table shows which symbols can be connected to a specific symbol.


The symbol in this column can be followed by the ticked symbols in its row.	start	state	stop	input	output	save	continuous signal	action	decision	semaphore take	semaphore give	timer start	timer stop	task creation	procedure call	connector in	connector out	transition option	procedure start	procedure return	object creation
start	-	X	X	-	X	-	-	X	X	X	X	X	-	X	X	X	X	X	-	-	X
state	-	-	-	X	-	X	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-
stop	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
input	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	X	X	X	-	X	X
output	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	X	X	X	-	X	X
save	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
continuous	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	X	X	X	-	X	X
action	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	X	X	X	-	X	X
semaphore take	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	X	X	X	-	X	X
semaphore give	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	X	X	X	-	X	X
timer start	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	X	X	X	-	X	X
timer stop	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	X	X	X	-	X	X
task creation	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	X	X	X	-	X	X
procedure call	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	X	X	X	-	X	X
connector out	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
connector in	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	-	-	X	-	X	X
transition option	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	-	X	X	-	X	X
procedure start	-	X	X	-	X	-	-	X	X	X	X	X	X	X	X	-	X	X	-	X	X
procedure return	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

The table above should be read row by row. The symbol in the left column can be followed by the ticked symbols on its row. For example the stop symbol can not be followed by any other symbol. The state symbol can be followed by input, save, or continuous signal symbols.

## 5 - Declarations

### 5.1 - Process

A process is implicitly declared in the architecture of the system (Cf. “Architecture” on page 9) since the communication channels need to be connected.



*Process symbol*

A process has an initial number of instances at startup and a maximum number of instances. A process can also be an instance of a process class (Cf. “Object orientation” on page 57), in that case the name of the class follows the name of the instance after a colon.


The general syntax is:

```
<process instance name>[:<process class>][(<initial number of instances>, <maximum number of instances>)] [PRIO <priority>]
```

The priority is the one of the target RTOS.

Please note the stack size can be defined in the process or process class additional heading symbol as described in paragraph “Additional heading symbol” on page 31.


When a process is an instance of a process class the gates of the process class need to be connected in the architecture diagram. The names of the gates appear in the process symbol with a black circle representing the connection point.



*Process class instance*


The messages defined in the package going through the gates must be consistent with the messages listed in the architecture diagram where the process instance is defined.

Example:



## 5.2 - Procedure declaration

An SDL-RT procedure can be defined in any diagram: system, block, or process. It is usually not connected to the architecture but since it can output messages a channel can be connected to it for informational purpose.



*Procedure declaration symbol*

The declaration syntax is the same as a C function. A procedure definition can be done graphically with SDL-RT or textually in a standard C file.


### 5.2.1 SDL-RT defined procedure

If defined with SDL-RT the calling process context is implicitly given to the procedure. So if a message output is done, the message will be output from the process calling the procedure. That is why the message should be defined in one of the channels connected to the process instead of a channel connected to a procedure. To call such a procedure the procedure call symbol should be used.

### 5.2.2 C defined procedure

If defined in C language the process context is not present. To call such a procedure a standard C statement should be used in an action symbol.

Example:



### 5.3 - Messages

Messages are declared at any architecture level in the additional heading symbol. A message declaration may include the parameter type in C. The syntax is:

```
MESSAGE <message name> [( <parameter type> )] { , <message name> [( <parameter type> )] }
```

It is also possible to declare message lists to make the architecture view more synthetic. Such a declaration can be made at any architecture level in the additional heading symbol. The syntax is:

```
MESSAGE_LIST <message list name> = <message name> { , <message name> } * ;
```

A message list can contain a message list, the included message list name is surrounded by parenthesis.

### Example:

```

MESSAGE
|  msg1(myStruct *),
|  msg2(void),
|  msg3(void *),
|  msg4(int *),
|  msg5;
|
MESSAGE_LIST
|  myMessageList = msg1, msg2;
MESSAGE_LIST
|  anotherMessageList = (myMessageList), msg3;


```

## 5.4 - Timers

There is no need to declare timers. They are self declared when used in a diagram.

## 5.5 - Semaphores

Semaphores can be declared at any architecture level. Since each RTOS has its own type of semaphores with specific options there will be no detailed description of the syntax. The general syntax in the declaration symbol is:



### Semaphore declaration

It is important to note the semaphore is identified by its name.


## 6 - MSC

SDL-RT integrates the Message Sequence Chart dynamic view. On such a diagram, time flows from top to bottom. Lifelines represent SDL-RT agents or semaphores and key SDL-RT events are represented. The diagram put up front the sequence in which the events occur.

In the case of embedded C++ it is possible to use a lifeline to represent an object. In that case the type is object and the name should be `<object name>:<class name>`

### 6.1 - Agent instance


An agent instance starts with an agent instance head followed by an instance axis and ends with an instance tail or an instance stop as shown in the diagrams below.



The type of the agent can be specified on top of the head symbol and the name of the agent is written in the instance head symbol. The instance tail symbol means the agent lives after the diagram. The instance stop symbol means the agent no longer exist after the symbol.


When an agent creates another agent a dashed arrow goes from the parent agent to the child agent.

Example:



### 6.2 - Semaphore representation


A semaphore representation is made of a semaphore head, a lifeline, and a semaphore end or tail. The symbols are the same as for a process except for the head of the semaphore.




### 6.3 - Semaphore manipulations

Several cases are to be considered with semaphore manipulations. A process makes an attempt to take a semaphore, its attempt can be successful or unsuccessful, if successful the semaphore might still be available (counting semaphore) or become unavailable. During the time the semaphore is unavailable, its lifeline gets thicker until it is released.


The manipulation symbols are the following:




Semaphore creation from a known process.




Semaphore creation from an unknown process.




Semaphore take attempt.




Semaphore take attempt on a locked semaphore.




Semaphore take successful but semaphore is still available.




Semaphore take successful and the semaphore is not available any more.




Semaphore take timed out.




Semaphore continues.



Semaphore give. The semaphore was available before the give.



Semaphore give. The semaphore was unavailable before the give.




Semaphore is killed by a known process.



Semaphore is killed by an unknown process.




Example:

Process `myProc1` first creates semaphore `mySem`, then takes it successfully.

Process `myProc2` makes an attempt to take semaphore `mySem` but gets blocked on it. Process `myProc1` releases the semaphore so `myProc2` successfully gets the semaphore. Process `myProc2` gives it back, and kills it.






## 6.4 - Message exchange

A message symbol is a simple arrow with its name and optional parameters next to it. The arrow can be horizontal meaning the message arrived instantly to the receiver or the arrow can go down to show the message arrived after a certain time or after another event. A message can not go up ! When the sender and the receiver are represented on the diagram the arrow is connected to their instances. If the sender is missing it is replaced by a white circle, if the receiver is missing it is replaced by a black circle. The name of the sender or the receiver can optionally be written next to the circle.




An external agent called keypad sends run message to process sender. Process sender sends `initMsg` that is considered to be received immediately to block receiver. Block receiver replies `readyMsg`, process sender sends `startMsg`, and block receiver sends run to an external agent.

A message is considered received by an agent when it is read from the agent's message queue; not when it arrives in the message queue !



## 6.5 - Synchronous calls


This representation is used when using embedded C++ to show method calls on an object. Object can be represented by lifelines. Synchronous calls are shown with an arrow to the instance representing the object. While the object has the focus its lifeline becomes a black rectangle and the agent lifeline becomes a white rectangle. That means the execution flow has been transferred to the object. When the method returns a dashed arrow return to the method caller.




Process keyboard calls method `set_URL` from `myPhoneBook` object that is an instance of `PhoneBook` class.

## 6.6 - State

A lifeline represents a process and depending on its internal state a process reacts differently to the same message. It is interesting to represent a process state on its lifeline. It is also interesting to represent a global state for information. In that case the state symbol covers the concerned instances. In both cases the same symbol is used.




State symbol

Example:


Process server goes to idle state. Process caller in its start transition sends a conReq to server and goes to state idle. Process server returns an conConf message and goes to connected state. When conConf message is received by process caller it also moves to connected state.

## 6.7 - Timers


Two symbols are available for each timer action depending if the beginning and the end of the timer are connected or not. The timer name is by the cross and timeout value is optional. When specified the timeout value unit is not specified; it is usually RTOS tick counts.



Examples:




Process caller tries to initiate connection with `conReq` message. At the same time it starts timer `tConReq` so that if no answer is received it will retry connecting. If an answer is received the timer is cancelled and process caller goes to state `connected`.



Process `caller` tries to initiate connection with `conReq` message. Since it receives no answer after two tries it gives up and goes to `unconnected` state.

## 6.8 - Time interval

To specify a time interval between two events the following symbol is used.



Time constraint syntax is the following:


- absolute time is expressed with an `@` up front the time value,



- relative time is expressed with nothing up front its value,
- time interval is expressed between square brackets,
- time unit is RTOS specific -usually tick counts- unless specified (s, ms,  $\mu$ s).

Note it is possible to use time constraint on a single MSC reference.


Absolute time can also be specified with the following symbol:




Examples:

**Table 1: Examples of time constraint expressions**

Expression	Meaning
1.3ms	takes 1.3 ms to do
[1, 3]	takes a minimum of 1 to a maximum of 3 time units
@[12.4s, 14.7s]	should not occur before absolute time 12.4 s and should not finish after absolute time 14.7 s.
<5	takes less than 5 time units




Process server reaches state idle at absolute time 34 Sec.  
 Process client request process server to compute some work in less than 0x02FF time units.




## 6.9 - Coregion

Coregion is used whenever the sequence of events does not matter. Events in a coregion can happen in any order. The coregion symbol replaces the lifeline instance.




Example:



---

## 6.10 - MSC reference


MSC reference allows to refer to another MSC. The resulting MSC is smaller and more legible.




MSC reference symbol

A reference concerns the connected instances. An instance is connected if its lifeline disappears in the symbol. An instance is not connected if it goes over the reference symbol.

Example:



Connecting MSC



DataTransfer MSC

The DataTransfer MSC starts with a reference to Connecting MSC. That means the scenario described in Connecting MSC is to be done before the rest of the DataTransfer MSC occur.

## 6.11 - Text symbol

The text symbol contains data or variable declarations if needed in the MSC.

```
<any C language declarations>
```

*Text symbol*

## 6.12 - Comment

As its name states...

```

|-----|
| Free text to
| comment a con-
| nected symbol.
|-----|

```

*Comment symbol*

## 6.13 - Action


An action symbol contains a set of instructions in C code. The syntax is the one of C language.

Examples:

```

/* Say hi to your friend */
printf("Hello world !\n");
for (i=0;i<MAX;i++)
{
  newString[i] = oldString[i];
}

```




DataTransfer MSC

The action symbol contains standard C instructions related to data declarations.


### 6.14 - High-level MSC (HMSC)

High level MSC diagram is a synthetic view of how MSCs relate to each other. It is only a few symbols: start, stop, alternative, parallel, state or condition, and MSC reference.



The SDL-RT HMSC starts with the start symbol and ends with the stop symbol. The parallel symbol means the following connected path will be executed in parallel. The Alternative symbol means one and only one of the connected path is executed. Whenever two paths meet again the path separator symbol is to be repeated. That means if a parallel symbol is used that creates two different paths, the parallel symbol should be used when the path merge back. Symbols are connected with lines or arrows if clearer. A symbol is entered by its upper level edge and leaved by any other edge.

Example:



The system starts in `disconnected` state. Connection attempts are made, either the `conFailed` scenario or the `conSucceeded` scenario is executed. If `conSucceeded` is executed `supervising` and `dataTransfer` are executing in parallel. They merge back to `disconnect` and end the HMSC scenario.

## 7 - Data types

The data types, the syntax and the semantic are the ones of ANSI C and C++ languages. In order to ease readability in the rest of the document, the expression 'C code' implicitly means 'ANSI C and C++ code'. There is no SDL-RT predefined data types at all but just some keywords that should not be used in the C code. Considering the SDL-RT architecture and concepts surrounding the C code some important aspects need to be described.

### 7.1 - Type definitions and headers

Types are declared in the text symbol:

```
<Any C type declaration >
```

Types declared in an agent are only visible in the architecture below the agent.

### 7.2 - Variables

Variables are declared after the type definitions in the same text symbol.

```
<Any C type definition >  
<Any C global variable definition >
```

Variables declared in an agent are only visible in the architecture below the agent. For example global variables are to be declared at system level. A variable declared in a block level is not seen by an upper level block. Variables declared in an SDL-RT process in a text symbol are local to the process. They can not be seen or manipulated by any other process.

### 7.3 - C functions

SDL-RT internal C functions are to be defined through the SDL-RT procedure symbol. An SDL-RT procedure can be defined graphically in SDL-RT or textually in C. When defined in C the procedure call symbol should not be used. A standard C statement in an action symbol should be used.

### 7.4 - External functions


External C functions can be called from the SDL-RT system. These should be prototyped in the system or in an external C header. It is up to an SDL-RT tool to gather the right files when compiling and linking.



## 8 - Object orientation

### 8.1 - Block class


Defining a block class allows to use the same block several times in the SDL-RT system. The SDL-RT block does not support any other object oriented features. A block class symbol is a block symbol with a double frame. It has no channels connected to it.




A block class can be instantiated in a block or system. The syntax in the block symbol is:

```
<block instance name>:<block class name>
```


Messages come in and go out of a block class through gates. In the block class diagram gates are represented out of the block class frame. When a block class is instantiated the gates are connected to the surrounding SDL-RT architecture. The messages listed in the gates are to be consistent with the messages listed in the connected channels.



Example:



Definition diagram of myBlockClass block class




blockA is an instance of myBlockClass

## 8.2 - Process class

Defining a process class allows to:

- have several instances of the same process in different places of the SDL-RT architecture,
- inherit from a process super-class,
- specialize transitions and states.


A process class symbol is a process symbol with a double frame. It has no channels connected to it.



A process class can be instantiated in a block or a system. The syntax in the process symbol is:


```
<process instance name>:<process class name>
```

Messages come in and go out of a process class through gates. In the process class diagram, gates are represented out of the process class frame. When a process class is instantiated the gates are connected to the surrounding SDL-RT architecture. The messages listed in the gates are to be consistent with the messages listed in the connected channels. The names of the gates appear in the process symbol with a black circle representing the connection point.




Since a class is not supposed to know the surrounding architecture, message outputs should not use the TO\_NAME concept. Instead TO\_ID, VIA, or TO\_ENV should be used.

Example:





SDL-RT transitions, gates and data are the elements that can be redefined when specializing. In the sub class, the super class to inherit from is defined with the `INHERITS` keyword in an **additional heading symbol**. There are several ways to specialize a process class depending on what is defined in the super class.

- If the element is new in the sub class, it is simply added to the super class definition,




- If the element exists in the super class, the new element definition overwrites the one of the super class,





- A class can be defined as abstract with the `ABSTRACT` keyword. It means the class can not be instantiated as is; it needs to be specialized. A class can define abstract transitions or


abstract gates. It means the abstract transition or gate exists but that it is not defined. Such a class is obviously abstract and needs to be defined as such.



Here comes an example mixing all object oriented concepts and the resulting object:








An instance of MyClass

### 8.3 - Class diagram


The SDL-RT class diagram is conform to UML 1.3 class diagram. Normalised stereotypes with specific graphical symbols are defined to link with SDL graphical representation. All symbols are briefly explained in the paragraphs below. Detailed information can be found in the OMG UML v1.3 specification.

#### 8.3.1 Class

A **class** is the descriptor for a set of objects with similar structure, behavior, and relationships.




Class symbol with details suppressed





Class symbol full representation

A **stereotype** is an extension of the UML vocabulary allowing to create specific types of classes. If present, the stereotype is placed above the class name within guillemets. Alternatively to this purely textual notation, special symbols may be used in place of the class symbol.



Class stereotyped as a process




Class stereotyped as a process

Classes are divided in **active classes** and **passive classes**. An instance of an active class owns a thread of control and may initiate control activity. An instance of a passive class holds data, but does not initiate control. In the class diagram, agents are represented by active classes. Agent type is defined by the class stereotype. Known stereotypes are: `system`, `block`, `block class`, `process`, and `process class`. Active classes do not have any attribute. Operations defined for an active class are incoming or outgoing asynchronous messages. The syntax is:

`<message way> <message name> [( <parameter type> )] [{ via <gate name> }]`


`<message way>` can be one of the characters:

- `'>'` for incoming messages,
- `'<'` for outgoing messages.




Process class pPhone can receive messages `call` and `hangUp` through gate `gEnv` and send `conReq`, `conConf`, `disReq`, `disConf` through gate `gSwitch`.


Pre-defined graphical symbols for stereotyped classes are described below:




Class stereotyped as a class of process




Class stereotyped as a class of process




Class stereotyped as a process




Class stereotyped as a process




Class stereotyped as a block




Class stereotyped as a block




Class stereotyped as a class of block



Class stereotyped as a class of block




Class stereotyped as a system



Class stereotyped as a system

### 8.3.2 Specialisation


**Specialisation** defines a 'is a kind of' relationship between two classes. The most general class is called the superclass and the specialised class is called the subclass.




The relationship from the subclass to the superclass is called **generalisation**.

### 8.3.3 Association

An **association** is a relationship between two classes. It enables objects to communicate with each other. The meaning of an association is defined by its name or the role names of the associated classes. **Cardinality** indicates how many objects are connected at the end of the association.






Instances of a class are identified by the associated class via its role name. In the example above an instance of Switch identifies the instances of Telephone it is connected to via the name terminal.

### 8.3.4 Aggregation


Aggregation defines a 'is a part of' relationship between two classes.



Objects identify each other as described for regular associations (Cf. "Association" on page 68).

### 8.3.5 Composition


Composition is a strict form of aggregation, in which the parts are existence dependent on the container.



Objects identify each other as described for regular associations (Cf. “Association” on page 68).

### 8.4 - Package

A **package** is a separated entity that contains classes, agents or classes of agents. It is referenced by its name.



It can contain:

- classes,
- systems,
- blocks,
- classes of blocks,
- processes,
- classes of processes,
- procedures,
- data definitions.

### 8.4.1 Usage in an agent


Agent classes definitions can be gathered in a package. To be able to use classes defined in a package, an SDL-RT system should explicitly import the package with USE keyword in an additional heading symbol at system level.

```
USE <package name> {
  ...
}
```

### 8.4.2 Usage in a class diagram


Classes defined in a package can be referenced in 2 ways:

- prefix the class name with the package name



Class `<class name>` is defined in package `<package name>`

- use the package graphical symbol as a container of the class symbol




`MyClass` specialises `MySuperClass` defined in `myPackage`.

## 9 - Deployment diagram

The Deployment diagram shows the physical configuration of run-time processing elements of a distributed system.

### 9.1 - Node


A **node** is a physical object that represents a processing resource.



### 9.2 - Component

A **component** represents a distributable piece of implementation of a system. There are two types of components:

- Executable component




- File component





### 9.3 - Connection


A **connection** is a physical link between two nodes or two executable components. It is defined by its name and stereotype.



## 9.4 - Dependency

Dependency between elements can be represented graphically.


- A dependency from a node to an executable component means the executable is running on the node.
- A dependency from a component to a file component means the component needs the file to be built.
- A dependency from a node to a file means that all the executable components running on the node need the file to be built.



**MyComponent runs on MyNode and needs MyCode.c file to be built.**

## 9.5 - Aggregation


A node can be subdivided of nodes.



VmeRack node is subdivided of NewtorkBoard and ControlBoard

## 9.6 - Node and components identifiers

Attributes are used by connected nodes or components to identify each other.



CptB can connect to CptA1 via myNet connection by using NodeA1 myNet.id attribute and CptA1 myNet.id attribute.

Nodes' attribute can be omitted if not needed.

## 10 - Symbols contained in diagrams

The table below shows what symbols can be contained in a specific diagram type.

In the diagrams listed in this column the ticked symbols on the right can be used.	package	block class	process class	block	process	procedure declaration	semaphore declaration	channel	additional heading	text	gate definition	gate usage	behavior symbols	class	association	composition	specialisation	node	component	connection	dependency	aggregation
package	X	X	X	X	X	X	X	X	X	X	X	-	-	X	X	X	-	-	-	-	-	X
class diagram	X	X	X	X	X	-	-	-	-	-	-	-	-	X	X	X	-	-	-	-	-	X
block class	-	-	-	X	X	X	X	X	X	X	X	X	-	-	-	-	-	-	-	-	-	-
process class	-	-	-	-	-	-	-	-	X	X	X	-	X	-	-	-	-	-	-	-	-	-
block	-	-	-	X	X	X	X	X	X	X	-	X	-	-	-	-	-	-	-	-	-	-
process	-	-	-	-	-	-	-	-	X	X	-	-	X	-	-	-	-	-	-	-	-	-
procedure	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
deployment																			X			X

A diagram listed in the first column can contain the ticked symbols in the other columns. For example the process symbol can contain the additional heading symbol, the text symbol and all the behavior symbols. The behavior symbols are all symbols described in “Behavior” on page 14.

## 11 - Textual representation

Storage format follows XML (eXtensible Markup Language standard from W3C available at <http://www.w3.org>) standard with the following DTD (Document Type Definition):

```
<!-- Entity for booleans -->
<!-- ===== -->

<!ENTITY % boolean "(TRUE|FALSE)">

<!-- Entities for symbol types -->
<!-- ===== -->

<!ENTITY % sdlSymbolTypes1      "sdlSysDgmFrm|sdlSysTypeDgmFrm|sdlBlkDgmFrm|sdlBlkTypeDgmFrm|
sdlBlkType|sdlBlk|sdlBlkTypeInst|sdlPrCsType|sdlPrCs|sdlPrCsTypeInst">
<!ENTITY % sdlSymbolTypes2      "sdlInherits|sdlPrCsTypeDgmFrm|sdlPrCsDgmFrm|sdlPrCdDgmFrm|
sdlStart|sdlState|sdlInputSig|sdlSendSig|sdlSaveSig|sdlContSig">
<!ENTITY % sdlSymbolTypes3      "sdlTask|sdlDecision|sdlTransOpt|sdlJoin|sdlText|sdlComment|
sdlTextExt|sdlCnctrOut|sdlCnctrIn|sdlPrCsCreation|sdlStop">
<!ENTITY % sdlSymbolTypes4      "sdlInitTimer|sdlResetTimer|sdlSemDecl|sdlSemTake|sdlSemGive|
sdlPrCdProto|sdlPrCdDecl|sdlPrCdCall|sdlPrCdStart|sdlPrCdReturn">
<!ENTITY % sdlSymbolTypes       "%sdlSymbolTypes1;|%sdlSymbolTypes2;|%sdlSymbolTypes3;|
%sdlSymbolTypes4;">

<!ENTITY % mscSymbolTypes1      "mscExternalFrm|mscInlineExpr|mscLifeline|mscSemaphore|mscLostMsg|
mscFoundMsg|mscComment">
<!ENTITY % mscSymbolTypes2      "mscGenNameArea|mscText|mscAbsTimeConstr|mscCondition|mscMscRef|
mscInlineExprZone|mscSave">
<!ENTITY % mscSymbolTypes       "%mscSymbolTypes1;|%mscSymbolTypes2;">

<!ENTITY % hmscSymbolTypes      "hmscDgmFrm|hmscParallel|hmscStart|hmscEnd|hmscCondition|
hmscMscRef|hmscAlternativePoint">
<!ENTITY % mscdocSymbolTypes    "mscdocDgmFrm|mscdocMscRef|mscdocHeader">

<!ENTITY % umlClassSymbolTypes  "umlClassDgmFrm|umlPckg|umlClass|umlComment|umlSys|umlBlkCls|
umlBlk|umlPrCsCls|umlPrCs">
<!ENTITY % umlDeplSymbolTypes   "umlDeplDgmFrm|umlNode|umlComp|umlFile">
<!ENTITY % umlUCSymbolTypes     "umlUCDgmFrm|umlUseCase|umlActor">

<!ENTITY % SymbolType           "(%sdlSymbolTypes;|%mscSymbolTypes;|%hmscSymbolTypes;|%mscdocSymbolTypes;|
%umlClassSymbolTypes;|%umlDeplSymbolTypes;|%umlUCSymbolTypes;)">

<!-- Entity for lifeline component type -->
<!-- ===== -->

<!ENTITY % LifelineComponentType "(norm|susp|meth|coreg|act)">

<!-- Entity for time interval type -->
<!-- ===== -->

<!ENTITY % TimeIntervalType     "(start|end|timeout|constraint)">

<!-- Entity for connector types -->
<!-- ===== -->

<!ENTITY % ConnectorType        "(void|chnl|chnlgate|sdlarrow|mscvoid|mscgate|mscarrowgate|hmscarrow|
umlcvoid|umlassoc|umlrole|umldvoid)">
```

```
<!-- Entity for side for connectors -->
<!-- ===== -->

<!ENTITY % Side "(n|s|w|e|x|y)">

<!-- Entity for end types for connectors -->
<!-- ===== -->

<!ENTITY % ConnectorEndType "(voidend|arrow|midarrow|outltri|outldiam|filldiam)">

<!-- Entity for link segment orientation -->
<!-- ===== -->

<!ENTITY % Orientation "(h|v)">

<!-- Entity for link types -->
<!-- ===== -->

<!ENTITY % LinkType
"(sbvoid|dbvoid|ssvoid|dsvoid|chnl|dec|transopt|msg|rtn|instcre|assoc|spec|aggr|comp|cnx|dep)">

<!-- Entity for diagram types -->
<!-- ===== -->

<!ENTITY % DiagramType "(sys|systype|blk|blktype|prcs|prcstype|prcd|msc|hmsc|mcsdoc|class|usec|
depl)">

<!-- Element for text in symbols/links/... -->
<!-- ===== -->

<!ELEMENT Text (#PCDATA)>
<!ATTLIST Text
  id CDATA "0"
>

<!-- Element for lifeline symbol components (MSC specific) -->
<!-- ===== -->
<!-- The "Text" component and "width" attribute are only for action symbols -->

<!ELEMENT LifelineComponent (Text?)>
<!ATTLIST LifelineComponent
  type %LifelineComponentType; #REQUIRED
  height CDATA #REQUIRED
  color CDATA "#000000"
  width CDATA "-1"
>

<!-- Element for lifeline symbol time intervals (MSC specific) -->
<!-- ===== -->

<!ELEMENT TimeInterval (Text)>
<!ATTLIST TimeInterval
  type %TimeIntervalType; #REQUIRED
  startpos CDATA #REQUIRED
  endpos CDATA "-1"
```

```

offset      CDATA          #REQUIRED
color      CDATA          "#000000"
>

<!-- Element for spanned lifelines for spanning symbols (MSC specific) -->
<!-- ===== -->

<!ELEMENT SpannedLifeline EMPTY>
<!ATTLIST SpannedLifeline
  lifelineId IDREF #REQUIRED
>

<!-- Element for inline expression zones (MSC specific) -->
<!-- ===== -->

<!ELEMENT Zone EMPTY>
<!ATTLIST Zone
  zoneSymbolId IDREF #REQUIRED
>

<!-- Element for symbols -->
<!-- ===== -->
<!-- The "LifelineComponent" and "TimeInterval" components and the "dies" attribute are only for
lifelines symbols -->
<!-- The "Zone" component is only for inline expression symbols -->
<!-- The "SpannedLifeline" component is only for spanning symbols in MSC diagrams -->

<!ELEMENT Symbol (Text+, (((LifelineComponent*), (TimeInterval*)) | ((SpannedLifeline*), (Zone*)))
| (Symbol*))>
<!ATTLIST Symbol
  symbolId      ID          #REQUIRED
  type          %SymbolType; #REQUIRED
  xCenter       CDATA      #REQUIRED
  yCenter       CDATA      #REQUIRED
  fixedDimensions %boolean; "FALSE"
  width         CDATA      "10"
  height        CDATA      "10"
  dies          %boolean;  "FALSE"
  color         CDATA      "#000000"
>

<!-- Element for connectors -->
<!-- ===== -->

<!ELEMENT Connector (Text, Text)>
<!ATTLIST Connector
  attachedSymbolId IDREF          #REQUIRED
  type             %ConnectorType; #REQUIRED
  isOutside        %boolean;      #REQUIRED
  side             %Side;          #REQUIRED
  position         CDATA          #REQUIRED
  endType         %ConnectorEndType; #REQUIRED
>

<!-- Element for link segments -->
<!-- ===== -->

<!ELEMENT LinkSegment EMPTY>
<!ATTLIST LinkSegment
  orientation %Orientation; #REQUIRED

```

---

```
length      CDATA      #REQUIRED
>

<!-- Element for links -->
<!-- ===== -->

<!ELEMENT Link (Text, Connector, Connector, LinkSegment*)>
<!ATTLIST Link
  type          %LinkType; #REQUIRED
  textSegmentNum CDATA      #REQUIRED
  color         CDATA      "#000000"
>

<!-- Element PageSpecification -->
<!-- ===== -->
<!-- Attributes for diagram pages; all dimensions are centimetres -->
<!ELEMENT PageSpecification EMPTY>
<!ATTLIST PageSpecification
  pageWidth      CDATA      "21"
  pageHeight     CDATA      "29.7"
  topMargin      CDATA      "1.5"
  bottomMargin   CDATA      "1.5"
  leftMargin     CDATA      "1.5"
  rightMargin    CDATA      "1.5"
  pageFooter     %boolean;  "TRUE"
>


<!-- Element for diagrams -->
<!-- ===== -->

<!ELEMENT Diagram (PageSpecification, Symbol, Link*)>
<!ATTLIST Diagram
  type          %DiagramType; #REQUIRED
  nbPagesH     CDATA      "1"
  nbPagesV     CDATA      "1"
  cellWidthMm  CDATA      "5"
>
```




## 12 - Example systems


### 12.1 - Ping Pong




Ping pong system view



Ping process




Pong process




MSC trace of the ping pong system


## 12.2 - A global variable manipulation




*Global variable manipulation example system*



*Process A*



Process B




MSC trace of the global variable manipulation




## 12.3 - Access Control System

This system controls the access to a building. To get in, one need to insert a card and type a code. The database is in the central block. When starting the system there is no user registered in the base so the first user needs to be the administrator.


### 12.3.1 Requirements



*Either one of the MSCs can be executed indefinitely*




Standard scenario




Standard refusal scenario

### 12.3.2 Analysis




*The class diagram shows the relation between pCentral (task) active class and UserFactory and User passive classes (C++)*


### 12.3.3 Architecture



*The system is made of two tasks: pCentral and pLocal*

### 12.3.4 pCentral process






### 12.3.5 getCardNCode procedure

```

    void getCardNCode(tCardAndCode* pData, char* card, char*code);
  
```





### 12.3.6 pLocal process

```


unsigned char *pCardId,*pCodeId,*pKey;
int lengthCardId, lengthCodeId, lenMsg,lengthKey;
tCardAndCode *pCardAndCode;
short mode;
    
```


```
void Display(char *msg)
```

```
void DisplayStar(short numChar)
```












### 12.3.7 Display procedure



### 12.3.8 DisplayStar procedure



### 12.3.9 Deployment



*The components communicate through IP*

---

## 13 - Differences with classical SDL

It is difficult to list all the differences between SDL-RT and SDL even though an SDL developer would understand SDL-RT and vice versa. Still to be able to clearly state the differences between these languages we will pinpoint the main differences in the paragraphs below.

### 13.1 - Data types

This is the most significant difference between SDL and SDL-RT. Classical SDL has its own data types and syntax where SDL-RT basically uses ANSI C language. Some symbols have a specific syntax with SDL-RT since there is no C equivalent instruction such as output, input, save, or semaphore manipulations.

The advantages are obvious:

- the syntax is known by all real time developers,
- it implicitly introduces the concept of pointers that does not exist in SDL,
- it eases integration of legacy code where it is quite tricky to do from classical SDL,
- and last but not least it makes code generation out of SDL-RT quite straightforward.

### 13.2 - Semaphores

Semaphore is a key concept in real time systems that classical SDL misses. Specific semaphore symbols have been introduced in SDL-RT to answer the real time developer needs.

### 13.3 - Inputs

Classical SDL has nice concepts when it comes to dealing with message exchanges. But these concepts are not so interesting in real time development and are quite tricky to implement on a real target or operating system. That is why SDL-RT has removed the following concepts: enabling conditions when receiving a message, internal messages, two levels priority messages.

### 13.4 - Names

Classical SDL uses exotic names for some well known concepts such as "signal" where it is basically related to a "message". Since "message" is the usual name in Real Time Operating Systems SDL-RT uses the same term.

When it comes to object orientation classical SDL talks about "type" instead of the usual "class" term. SDL-RT uses the common developer word "class".

### 13.5 - Object orientation

Classical SDL uses "virtual", "redefined", and "finalized" when it comes to object oriented concepts. For example a super class should specify a transition is "virtual" so that the sub class is



---

allowed "redefine" or "finalize" it. This is C++ like but actually quite painful when it comes to write and does not make things any clearer. SDL-RT takes the Java notation instead where there is no need to specify anything to be able to redefine it in a sub class.

---

## 14 - Memory management

Real time systems need to exchange information. The best way to do so is to have a reserved chunk of shared memory that several tasks can access. SDL-RT implicitly runs on such an underlying architecture since it supports global variables and exchanges message parameters through pointers. That raises memory management rules to follow to ensure a proper design.

### 14.1 - Global variables

SDL-RT processes can share global variables. This is very powerful but also very dangerous since the data can be corrupted if manipulated without caution. It is strongly recommended to use semaphores to access global variables to be sure data is consistent. An example of such a design is given later in this document.

### 14.2 - Message parameters

Parameters of a message are passed through a pointer. This implies the data pointed by the sending process will be accessible by the receiving process. Therefore a good design should meet the following rules:

- Sending processes allocate specific memory areas to store parameters,
- Once the message is sent the parameter memory area should never be manipulated again by the sending process,
- Receiver processes are responsible for freeing memory containing message parameters.



## 15 - Keywords

The following keyword have a meaning at in some specific SDL-RT symbols listed below:

keywords	concerned symbols
PRIO	Task definition Task creation Continuous signal
TO_NAME TO_ID TO_ENV VIA	Message output
FOREVER NO_WAIT	semaphore manipulation
>, <, >=, <=, !=, == true, false, else	decision branches
USE MESSAGE MESSAGE_LIST STACK	additional heading symbol

**Table 2: Keywords in symbols**

---

## 16 - Syntax

All SDL-RT names must be a combination of alphabetical characters, numerical characters, and underscores. No other symbols are allowed.

Examples:

```
myProcessName  
my_procedure_name  
block_1  
_semaphoreName
```

---

## 17 - Naming convention

Since some SDL-RT concepts can be reached through their names (processes, semaphores) each name in the system must be unique. This will make the design more legible and ease the support of SDL-RT in a tool.

It is suggested to use the following convention for names:

- block names should start with 'b',
- process names should start with 'p',
- timer names should start with 't',
- semaphore names should start with 's',
- global variables should start with 'g'.

---

## 18 - Lexical rules

A subset of the BNF (Backus-Naur Form) is used in these pages :

<traditional English expression>	as it says...
[<stuff>]	stuff is optional
{<stuff>}+	stuff is present at least one or more times
{<stuff>}*	stuff is present 0 or more times

---

## 19 - Glossary

ANSI	American National Standards Institute
BNF	Backus-Naur Form
ITU	International Telecommunication Union
MSC	Message Sequence Chart
OMG	Object Management Group
RTOS	Real Time Operating System
SDL	Specification and Description Language
SDL-RT	Specification and Description Language - Real Time
UML	Unified Modeling Language
XML	eXtensible Markup Language

---

## 20 - Modifications from previous releases

### 20.1 - Semaphore manipulation

#### 20.1.1 V1.0 to V1.1

The semaphore take now returns a status that indicates if the take attempt timed out or was successful. The semaphore lifeline gets grayed when the semaphore is unavailable.

### 20.2 - Object orientation

#### 20.2.1 V1.1 to V1.2

There has been an error in the object orientation chapter: it is not possible to declare a process class or a block class in a block class definition diagram.

#### 20.2.2 V1.2 to V2.0

- UML class diagram has been introduced
- UML deployment diagram has been introduced
- Object creation symbol introduced in the behavior diagram

### 20.3 - Messages

#### 20.3.1 V1.1 to V1.2

- Messages now needs to be declared.
- Message parameters are now typed with C types.
- Parameter length can be omitted if the parameter is structured. Then the length is implicitly the size of the parameter type.
- The VIA concept has been introduced.

### 20.4 - MSC

#### 20.4.1 V1.1 to V1.2

- Saved messages representation introduced.

### 20.5 - Task

#### 20.5.1 V1.2 to V2.0

STACK parameter has been added as a parameter when creating a task.

---

## **20.6 - Organisation**

### **20.6.1 V1.2 to V2.0**

Chapters have been re-organized.





## 21 - Index

### A

#### Action

symbol 23

#### Action symbol

MSC symbol 53

#### Additional heading symbol 31

#### Agents 9

#### Aggregation

class 69

node 75

#### Association 68

### B

#### Block

class 57

### C

#### call

procedure 26

#### Cardinality 68

#### channels 11

#### Class

active 66

block 57

definition 65

passive 66

process 58

#### Comment 28

MSC symbol 53

#### Component 72

#### Composition 70

#### Connection 73

#### Connectors 27

#### Continuous signal 22

#### Coregion 50

#### creation

task 26

### D

#### Data type

difference with classical SDL 102

#### Data types 56

#### Decision 23

#### Declaration

message 36

procedure 35

process 34

semaphore 37

timer 37

variables 30

#### Dependency 74

#### Diagram

architecture 9

behavior 14

class 65

communication 11

contained symbols 76

deployment 72

MSC 38

#### Distributed system 72

### E

#### else

decision 24

keyword 105

#### Environment

definition 9

message output 19

#### Extension 29

## F

### false

- decision 24
- keyword 105
- transition option 27

### FOREVER

- keyword 105

## G

### Generalisation 68

### give

- semaphore 25

## H

### HMSC 54

## I

### if 23

### ifdef 27

### Input

- difference with classical SDL 102
- message 16

### instance

- MSC 38

## K

### Keywords 105

## L

### Lexical rules 108

## M

### Memory

- management 104

### MESSAGE

- keyword 105

### Message

- communication principles 11
- declaration 36
- input 16
- memory management 104
- MSC 41
- output 17
- parameters 104
- save 22

### MESSAGE\_LIST

- keyword 105

### MSC 38

- action 53
- agent instance 38
- comment 53
- reference 51
- semaphore 39
- text symbol 53

## N

### Naming

- convention 107
- difference with classical SDL 102
- syntax 106

### NO\_WAIT

- keyword 105

### Node 72

## O

### Object

- difference with classical SDL 102

### OFFSPRING

- procedure 26

### output 17

## P

**Package** 70

**PARENT**

procedure 26

**PRIO**

continuous signal 23

keyword 105

**Procedure**

call 26

declaration 35

return 30

start 30

**Process**

behavior 14

class 58

declaration 34

priority 34

## R

**reference**

MSC 51

**return**

procedure 30

## S

**save** 22

**SDL-RT**

Lexical rules 108

**Semaphore**

declaration 37

difference with classical SDL 102

give 25

global variable 104

MSC 39

take 24

**SENDER**

procedure 26

**Specialisation** 68

**STACK**

keyword 105

**Stack**

size definition 31

**Start**

procedure 30

symbol 14

timer 25

**State** 14

MSC 44

**Stereotype** 65

**Stop**

symbol 15

timer 25

**Storage format** 77

**Symbol**

additional heading 31

in diagram 76

ordering 31

text 30

**Synchronous calls**

MSC 43

**System** 9

## T

**take**

semaphore 24

**Task**

creation symbol 26

**Text**

MSC symbol 53

symbol 30

**Time interval**

MSC 48

**Timer**

declaration 37

MSC 46

start 25

stop 25

**TO\_ENV** 19

keyword 105

**TO\_ID** 17

keyword 105

**TO\_NAME** 18

keyword 105

**Transition option 27**

**true**

decision 24

keyword 105

transition option 27

## U

**USE**

keyword 105

## V

**VIA 19**

keyword 105

## X

**XML**

data storage 77